L Number	Hits	Search Text	DB	Time stamp
-	1490	(717/140-162).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 11:55
-	9	((tagged or mark$3)near3 (byte adj code)) and compil$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:05
-	353	(tag$4 or mark$4) near3 ((byte adj code) or (intermediate adj code) or IR or (intermediate represensation)) and instrument$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 13:55
-	304	(persisten$4 near4 (storage or check$4 or validat$4)) and instrument$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 13:59
-	11358	optimi$5 same ((JIT or just-in-time) or (pre adj (compil$4 or load$4)) or interpret$4 or link$4 or compil$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:02
-	46	(optimi$5 same ((JIT or just-in-time) or (pre adj (compil$4 or load$4)) or interpret$4 or link$4 or compil$4)) and ((persisten$4 near4 (storage or check$4 or validat$4)) and instrument$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:05
-	17	((optimi$5 same ((JIT or just-in-time) or (pre adj (compil$4 or load$4)) or interpret$4 or link$4 or compil$4)) and ((persisten$4 near4 (storage or check$4 or validat$4)) and instrument$5)) and (@ad<=19990405 or @rlfd<=19990405)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:27
-	7	("5551015" | "5574873" | "5742794" | "5758140" | "5768593" | "5802373" | "5842017").PN.	USPAT	2002/12/30 14:31
-	205	(identify$4 or detect$4) near4 ((hot or critical or (most adj2 frequently) or marked or tagged) adj3 (section$1 or sequence$1 or block$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:30
-	36352	(dynamic$5 or increment$4 or (just adj4 time) or (run adj time) or (pre adj (execution or load or link))) near3 (compil$5 or load$4 or translat$4 or interpret$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 15:00
-	9	((pre adj2 load) or (load adj2 time)) near3 ((pre adj compil$5) or compil$6) and (byte adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 15:10
-	0	((critical or hot or tagged) adj3 (section$1 or block$1 or chunk$1 or portion$1)) near3 ((pre adj compil$5) or compil$6 or instrument$5) and (byte adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 15:16
-	1591	((critical or hot or tagged) adj3 (section$1 or block$1 or chunk$1 or portion$1)) and (compil$6 or instrument$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:28
-	2037	(distributed adj4 (object$1 or program$1 or code)) same execut$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 09:03

–	588	(identify$4 or detect$4 or mark$4 or select$4) near4 ((hot or critical or (most adj2 frequently) or marked or tagged) adj3 (section$1 or sequence$1 or block$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 15:31
–	9137	((link$4 or bind$4 or execut$4 or compil$4) or (persisten$5 stor$6)) same ((distributed or download$4 or transmi$6) near4 object$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 15:36
–	2129	((critical or hot or tagged or marked) adj3 (section$1 or block$1 or chunk$1 or portion$1)) and (compil$6 or instrument$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:22
–	1593	((critical or hot or tagged) adj3 (section$1 or block$1 or chunk$1 or portion$1)) and (compil$6 or instrument$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:28
–	205	(identify$4 or detect$4) near4 ((hot or critical or (most adj2 frequently) or marked or tagged) adj3 (section$1 or sequence$1 or block$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 08:30
–	356	(instrument$5 near3 ((byte adj code) or IR or (intermediate adj2 representation))) and (mark$4 or tag$4 or index$4 or table$2 or (hot adj3 (section$ or block$1 or portion$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 09:02
–	2049	(distributed adj4 (object$1 or program$1 or code)) same execut$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 09:58
–	3387	compil$4 near7 (first or later or subsequent or priorit$5 or progressiv$4 or increment$4 or (load adj time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 09:06
–	94	((trace adj hook$1) or mark$4 or instrument$3 or tag$4) near3 ((byte or intermediate) adj2 code$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 09:08
–	80	((increment$5 or selecti$4) adj4 compil$5) and ((intermediate or byte) adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 09:56
–	17	5848274.URPN.	USPAT	2002/12/31 11:07
–	1	"5276881".PN.	USPAT	2002/12/31 13:04
–	6	((intermediate or byte or IR) adj2 code) near6 ((partial$3 or selectiv$4) near3 compil$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/31 13:08
–	3	6263491.URPN.	USPAT	2002/12/31 13:13
–	80	((incremental$4 or progressiv$4 or subsequent or successiv$3) near3 compil$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 11:22
–	42	(object-oriented near4 (framework or development)) and (byte adj code or byte-code$1 or (intermediate adj2 code) or IR) and (message near4 (pass$4 or transmi$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 13:24

–	10	(load$4 or download$4 or install$4 or JIT) near3 ((byte adj code$1) or (intermediate adj code) or bytecode$1) same (appliance$1 or DSP$1 or ((remote or small) adj device$1) or microprocessor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 12:19
–	8	((load$4 or download$4 or install$4 or JIT) near3 ((byte adj code$1) or (intermediate adj code) or bytecode$1) same (appliance$1 or DSP$1 or ((remote or small) adj device$1) or microprocessor$1)) and (@ad<=19990405 or @rlad<=19990405)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 12:27
–	18	((load$3 near4 time) near8 compil$5) and ((target or remote or small) adj2 (microprocessor$1 or device$1 or appliance$1 or DSP))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 11:53
–	101	(((load near4 time) or immediate or dynamic$4) near3 compil$5) and ((tag$4 or mark$4) near3 (portion$1 or section$1 or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 13:28
–	23	(load$4 or download$4 or install$4 or JIT) near3 ((byte adj code$1) or (intermediate adj code) or bytecode$1) and (dynamic near5 compil$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 12:21
–	346	((thin or restraint$3 or small or embedded) near2 (platform$1 or appliance$1 or device$1 or microprocessor$1 or microcontroll$3 or DSP$1)) and ((download$4 or distribut$5 or load$4)) same ((code or component$1 or representation or class$2 or application$1) near2 (intermediate or byte or Java))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 11:56
–	145	(((thin or restraint$3 or small or embedded) near2 (platform$1 or appliance$1 or device$1 or microprocessor$1 or microcontroll$3 or DSP$1)) and ((download$4 or distribut$5 or load$4)) same ((code or component$1 or representation or class$2 or application$1) near2 (intermediate or byte or Java))) and (@ad<=19990405 or @rlad<=19990405)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 12:36
–	3	(((((thin or restraint$3 or small or embedded) near2 (platform$1 or appliance$1 or device$1 or microprocessor$1 or microcontroll$3 or DSP$1)) and ((download$4 or distribut$5 or load$4)) same ((code or component$1 or representation or class$2 or application$1) near2 (intermediate or byte or Java))) and (@ad<=19990405 or @rlad<=19990405)) and (((load near4 time) or immediate or dynamic$4) near3 compil$5) and ((tag$4 or mark$4) near3 (portion$1 or section$1 or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 11:57
–	9	("5113518" | "5127103" | "5473777" | "5706502" | "5748960" | "5757021" | "5784594" | "5828897" | "6044469").PN.	USPAT	2003/05/09 12:31
–	13	5987256.URPN.	USPAT	2003/05/09 13:55
–	1	((byte or intermediate) near2 code) and ((tag$4 or mark$4) near3 ((portion$1 or section$1 or code) same (hot or critical)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 14:22
–	13	5987256.URPN.	USPAT	2003/05/09 14:10

–	39	(hot or critical) adj2 (section$1 or path or portion$1 or code) and ((tag$4 or mark$4) near3 (portion$1 or section$1 or code or path$1)) and ((intermediate or byte) adj code$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 14:18
–	38	((byte or intermediate) near2 code) and ((hot or critical) adj2 (section$1 or path or portion$1 or code) and ((tag$4 or mark$4) near3 (portion$1 or section$1 or code or path$1)) and ((intermediate or byte) adj code$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 14:22
–	20	("digital information appliance" or DIA or (thin near2 (appliance$1 or platform$1 or device$1))) and ((byte adj code) same ((load$4 or download$4 or tag$4) and compil$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 15:04
–	14	(thin adj2 (client or platform$1 or device$1)) and ((byte adj code$1) near5 (download$4 or load$4 or transmi$6 or distribut$4 or tag$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 14:37
–	8	((thin adj2 (client or platform$1 or device$1)) and ((byte adj code$1) near5 (download$4 or load$4 or transmi$6 or distribut$4 or tag$4))) and (@ad<=19990405 or @rlad<=19990405)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 14:31
–	6	((US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295645-$ or US-6189141-$ or US-6164841-$ or US-6029000-$ or US-6044220-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5265254-$ or US-5201050-$ or US-5182806-$ or US-6330556-$ or US-6209018-$ or US-6119115-$ or US-6256637-$ or US-6161219-$ or US-5848274-$).did. or (US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6263344-$ or US-6151703-$ or US-5987256-$ or US-6219787-$ or US-6499137-$ or US-5586020-$ or US-6324688-$ or US-6338068-$).did. or (US-20020073405-$ or US-20020099634-$).did. or (US-20010042172-$ or US-6295641-$).did.) and ((byte or intermediate) near code$1) and (precompil$4 or JIT or (dynamic same compil$5)) and ((small or restraint or micro or thin or embedded) near3 (device$1 or microprocess$4 or platform$1 or machine$1 or computer$1 or DSP))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 15:00
–	3	6311165.URPN.	USPAT	2003/05/09 15:06
–	0	(tag$5 adj (byte adj code)) and (distribut$5 same ((remote or wireless) adj4 device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 12:12
–	0	(tag$5 adj2 (byte adj code)) and (distribut$5 same ((remote or wireless) adj4 device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 12:12
–	0	((pre-compil$5 or mark$4) adj (byte adj code)) and (distribut$5 same ((remote or wireless) adj4 device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 12:12

-		44	(distribut$5 same (byte adj code)) and ((remote or wireless) adj4 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 12:13
-		10	((distribut$5 same (byte adj code)) and ((remote or wireless) adj4 device)) and compil$4 and (@ad<=19990405 or @rlad<=19990405)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 12:14
-		22	"International Business".as. and JIT and 717/$ and compil$4.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:01
-		12	("International Business".as. and JIT and 717/$ and compil$4.ab.) and (@ad<=19990405 or @rlad<=19990405)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 11:57
-		2	6305012.URPN.	USPAT	2003/11/25 12:26
-		5	("5815718" | "5937193" | "6055526" | "6092120" | "6139199").PN.	USPAT	2003/11/25 12:27
-		12	("International Business".as. and JIT and compil$4.ab.) not (("International Business".as. and JIT and 717/$ and compil$4.ab.) and (@ad<=19990405 or @rlad<=19990405))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:06
-		3	((tagged.ti. or tag$5.ab.) and JIT and compil$4.ab.) not (("International Business".as. and JIT and 717/$ and compil$4.ab.) and (@ad<=19990405 or @rlad<=19990405))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:39
-		11	(tag$4 same (select$6 near3 compil$5)) and ((byte adj code) or JIT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 08:16
-		3	((tag$4 same (select$6 near3 compil$5)) and ((byte adj code) or JIT)) not (("International Business".as. and JIT and 717/$ and compil$4.ab.) and (@ad<=19990405 or @rlad<=19990405))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 13:39
-		11	(tag$4 same (select$6 near3 compil$5)) and ((byte adj code) or JIT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 08:21
-		24	((optimi$6 or selective or increment$5) near2 compil$5) and ((byte adj code) or JIT) and ("scripting language" or script)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 08:22

–	15	((US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and script$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 09:42
–	58	(US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-6615166-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.	USPAT; US-PGPUB; DERWENT	2003/11/26 09:42

| | | 6 | (((US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and script$5) and script$5 and (optimiz$4 same compil$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 10:42 |
| - | | 3 | (((US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and script$5) and thin | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 10:42 |

| - | | 58 | (US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-6615166-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did. | USPAT; US-PGPUB; DERWENT | 2003/11/26 13:50 |
| - | | 5 | ((US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-6615166-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and (multi-threaded or (thread adj2 safe) or multithreaded) and (JVM or JIT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/26 14:04 |

–		1	((US-6499137-$ or US-5768593-$ or US-5586330-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-6263344-$ or US-6161219-$ or US-6631515-$ or US-6637025-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6330556-$).did. or (US-6209018-$ or US-6119115-$ or US-6189141-$ or US-6164841-$ or US-6044220-$ or US-6256637-$ or US-5848274-$ or US-5586328-$ or US-5491821-$ or US-4656582-$ or US-6308320-$ or US-6186677-$ or US-6112025-$ or US-5898872-$ or US-5815720-$ or US-5625822-$ or US-5230050-$ or US-5182806-$ or US-6151703-$ or US-5265254-$ or US-5201050-$ or US-5586020-$ or US-6654954-$ or US-6629081-$ or US-6560774-$ or US-6374402-$ or US-6473794-$).did. or (US-6615166-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and ((byte-code or bytecode) near7 conform$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:04
–		58	(US-6499137-$ or US-5768593-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-5586330-$ or US-6263344-$ or US-6161219-$ or US-6637025-$ or US-6631515-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6654954-$).did. or (US-6629081-$ or US-6615166-$ or US-6560774-$ or US-6473794-$ or US-6374402-$ or US-6151703-$ or US-6330556-$ or US-6308320-$ or US-6256637-$ or US-6209018-$ or US-6189141-$ or US-6186677-$ or US-6164841-$ or US-6119115-$ or US-6112025-$ or US-6044220-$ or US-5898872-$ or US-5848274-$ or US-5815720-$ or US-5625822-$ or US-5586328-$ or US-5586020-$ or US-5491821-$ or US-5265254-$ or US-5230050-$ or US-5201050-$ or US-5182806-$).did. or (US-4656582-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.	USPAT; US-PGPUB; DERWENT	2003/12/01 10:14

C:\APPS\EAST\Workspaces\09542714.wsp

-		20	((US-6499137-$ or US-5768593-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-5586330-$ or US-6263344-$ or US-6161219-$ or US-6637025-$ or US-6631515-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6654954-$).did. or (US-6629081-$ or US-6615166-$ or US-6560774-$ or US-6473794-$ or US-6374402-$ or US-6151703-$ or US-6330556-$ or US-6308320-$ or US-6256637-$ or US-6209018-$ or US-6189141-$ or US-6186677-$ or US-6164841-$ or US-6119115-$ or US-6112025-$ or US-6044220-$ or US-5898872-$ or US-5848274-$ or US-5815720-$ or US-5625822-$ or US-5586328-$ or US-5586020-$ or US-5491821-$ or US-5265254-$ or US-5230050-$ or US-5201050-$ or US-5182806-$).did. or (US-4656582-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and (interpret$4 and JIT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:48
-		4	(((US-6499137-$ or US-5768593-$ or US-6429860-$ or US-6327702-$ or US-6324685-$ or US-6295642-$ or US-6338068-$ or US-6295645-$ or US-6219787-$ or US-6029000-$ or US-6324688-$ or US-6311165-$ or US-5987256-$ or US-5586330-$ or US-6263344-$ or US-6161219-$ or US-6637025-$ or US-6631515-$ or US-6530075-$ or US-6336213-$ or US-6305012-$ or US-6295641-$ or US-6118940-$ or US-6092120-$ or US-6158048-$ or US-6654954-$).did. or (US-6629081-$ or US-6615166-$ or US-6560774-$ or US-6473794-$ or US-6374402-$ or US-6151703-$ or US-6330556-$ or US-6308320-$ or US-6256637-$ or US-6209018-$ or US-6189141-$ or US-6186677-$ or US-6164841-$ or US-6119115-$ or US-6112025-$ or US-6044220-$ or US-5898872-$ or US-5848274-$ or US-5815720-$ or US-5625822-$ or US-5586328-$ or US-5586020-$ or US-5491821-$ or US-5265254-$ or US-5230050-$ or US-5201050-$ or US-5182806-$).did. or (US-4656582-$).did. or (US-20020099634-$ or US-20020073405-$).did. or (US-20010042172-$ or US-6295641-$).did.) and (interpret$4 and JIT)) and (muti-threaded or multithreaded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 11:49
-		9691	((707/2,8,102,103Y,104.1) or (709/105,247,331) or (705/21,30,35)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:57

C:\APPS\EAST\Workspaces\09542714.wsp

		0	(((707/2,8,102,103Y,104.1) or (709/105,247,331) or (705/21,30,35)).CCLS.) and bytecode and JIT and "message bus" and (request near3 (sen$2 or recei$4)) and ((interface and implement$6 and dynamic$6) adj3 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:59